





RevNo	Revision note	Date	Signature	Checked
-------	---------------	------	-----------	---------



4: Triaxial ($\pm 45/0$) E-Glass fabric: METYX XL800E10F-0/45 of 835g/m²
Epoxy Resin: HUNSTMAN Araldite LY 3505/Hardener XB 3403
Surface area = 2,2074 m²



5: Triaxial ($\pm 45/0$) E-Glass fabric: METYX XL800E10F-0/45 of 835g/m²
Epoxy Resin: HUNSTMAN Araldite LY 3505/Hardener XB 3403
Surface area = 0,249 m²



6: Unidirectional E-Glass fabric: METYX L600E10C-0 of 623g/m²
Epoxy Resin: HUNSTMAN Araldite LY 3505/Hardener XB 3403
Surface area = 0,5985 m²

The pictures show the blade in flattened state
Fabrication method : Wet hand Lay-up
Mean Wf (fiber weight fraction) = 0.55

Itemref	Quantity	Title/Name, designation, material, dimension etc			Article No./Reference	
Designed by CompBlades		Checked by CompBlades	Approved by – date CompBlades – 20/09/13	File name	Date 20/09/13	Scale 1:20
CompBlades.com				Blade – Pressure side – Lamination plan – Layers 4/5/6		
				METU__B__P__layers__040506		Edition 0