

# Augmented Kalman filter with a reduced mechanical model to estimate tower loads on a land-based wind turbine: a step towards digital-twin simulations

Emmanuel Branlard<sup>1</sup>, Dylan Giardina<sup>1</sup>, and Cameron S. D. Brown<sup>2</sup>

<sup>1</sup>National Renewable Energy Laboratory, Golden, CO 80401, USA

<sup>2</sup>Ørsted, Nesa Allé 1, 2820 Gentofte, Denmark

**Correspondence:** E. Branlard (emmanuel.branlard@nrel.gov)

**Abstract.** This article presents an application of the Kalman filtering technique to estimate loads on a wind turbine. The approach combines a mechanical model and a set of measurements to estimate signals that are not available in the measurements, such as wind speed, thrust, tower position, and tower loads. The model is severalfold faster than real time and is intended to be run online, for instance, to evaluate real-time fatigue life consumption of a field turbine using a digital twin, perform condition monitoring, or assess loads for dedicated control strategies. The mechanical model is built using a Rayleigh–Ritz approach and a set of joint coordinates. We present a general method and illustrate it using a 2-degrees-of-freedom model of a wind turbine and using rotor speed, generator torque, pitch, and tower-top acceleration as measurement signals. The different components of the model are tested individually. The overall method is evaluated by computing the errors in estimated tower bottom equivalent moment from a set of simulations. From this preliminary study, it appears that the tower bottom equivalent moment is obtained with about 10% accuracy. The limitation of the model and the required steps forward are discussed.

## 1 Introduction


Wind turbines are designed and optimized for a given site or class definition using both numerical tools and a statistical assessment of the environmental conditions the turbine will experience. The uncertainty on the tools and data are accounted for using multiplicative safety factors that are determined from a combination of experience and specifications by the standards. Overconservative safety factors will imply unnecessary costs that may be alleviated later on by extending the lifetime of a project. An underestimate of the safety factor will likely lead to catastrophic failures. Once a design is complete and the product is in place, is it possible to predict what the lifetime of the wind turbine will be?

Digital twins are becoming increasingly popular to follow the life cycle of a physical system. This concept is used to bridge the gap between the modeling and measurement realm: real-time measurements from the physical system are communicated to a digital system, and this information is combined with a numerical model to estimate the state of the system and potentially predict its evolution. A Kalman filter is one example of a technique that can be used: it combines a model of a system with a set of measurements on that system to predict additional variables, such as positions or loads at points where no measurements are

available. In this study, we focus on Kalman filter methods, but other load estimation techniques may be used, such as lookup  
25 tables (Mendez Reyes et al., 2019), modal expansion (Iliopoulos et al., 2016), machine learning (Evans et al., 2018), neural  
networks (Schröder et al., 2018), polynomial chaos expansion (Dimitrov et al., 2018), deconvolution (Jacquelin et al., 2003),  
or load extrapolation (Ziegler et al., 2017).

Kalman filters have been extensively used in control engineering with a wide range of applications. Auger et al. (2013) pro-  
vide a review of some industrial applications. Load estimation using Kalman filtering are found, for example, in the following  
30 references: Ma and Ho (2004) and Eftekhari Azam et al. (2015). In the context of wind energy, wind speed estimation is critical  
for the determination of the dynamics of the system. This topic was investigated using parametric models by Bozkurt et al.  
(2014); using Kalman filters by Østergaard et al. (2007), Knudsen et al. (2011), and Song et al. (2017); and using Luenberger-  
type observer by Hafidi and Chauvin (2012). A comparison of wind speed estimation technique is found in Soltani et al.  
(2013). The techniques were extended to also estimate the wind shear and turbine misalignments; see, for example, Bottasso  
35 et al. (2010), Simley and Pao (2016), and Bertelè et al. (2018). Kalman filtering has been used to estimate rotor loads and wind  
speed in application to rotor controls by Boukhezzar and Siguerdidjane (2011). Kalman filtering was recently used by Belloli  
(2019) to estimate the sea state based on the knowledge of the offshore platform position. General approaches use Kalman fil-  
tering in combination with a model of the full wind turbine dynamics. These approaches were used for wind speed estimation  
and load alleviation via individual pitch control (Selvam et al. 2009; Bottasso and Croce 2009) and for online estimation of  
40 mechanical loads (Bossanyi, 2003). An example of estimating tower loads with the acceleration sensor is found in Hau (2008).  
Bossanyi et al. (2012) compared the observed rotor and tower loads with measurements and investigated the potential of the  
control method to reduce damage equivalent loads.

The methodology presented in this article uses an augmented Kalman filter (Lourens et al., 2012) to estimate loads on the  
wind turbine based on measurement signals commonly available in the nacelle. The method builds on the approach used by  
45 Bossanyi et al. (2012) and Lourens et al. (2012). The method of Lourens et al. (2012) is generalized. On the other hand,  
the expression of the mechanical system may be seen as simplified compared to the approach of Bossanyi et al. (2012): a  
Rayleigh–Ritz formulation is used and the system is not further linearized. The equations are given in full for a 2-degrees-  
of-freedom (DOF) system, and the source code is made available online. The time series of estimated loads are applied to  
assess the fatigue life consumption of the turbine components using the rainflow counting method. The study focuses on the  
50 determination of tower loads of land-based wind turbines but other signals may be extracted from the estimated states, such  
as the tower top displacement, the aerodynamic loads, and the wind speed. A scheme of the method is provided in Figure 1.  
The numerical model of the wind turbine relies on a Rayleigh-Ritz shape-function approach with reduced numbers of DOF  
(Branlard, 2019a). The wind speed is estimated using an approach similar to Østergaard et al. (2007), and the thrust force  
estimation is based on this wind speed estimate. The generator torque, rotor speed, and tower-top accelerations are used as  
55 measurements and combined with the numerical model within an augmented Kalman filter. The time series of loads in the  
tower are determined based on the tower shape function and the tower degrees of freedom, and the fatigue loads are computed  
from this signal. It is noted that the method is expected to be more accurate at the tower bottom than the tower top because  
rotor asymmetric loading cannot be captured from the single acceleration measurement. This limitation can be overcome by



**Figure 1.** Main components of the model: wind turbine measurements and a turbine model are combined to estimate tower loads. A wind speed estimator and a Kalman filter algorithm are used in the estimation. Turbine model dependencies are framed in blue.

including more measurement channels and states. Possible improvements of the method are mentioned in the discussion section  
60 of this article.

Section 2 presents the different components required for this work: the augmented Kalman filter, the numerical model of the turbine, and the estimators for the wind speed, thrust, tower load, and fatigue. Simple illustrations and validation results for the different components of the model are provided in Section 3. Section 4 presents full applications, but limited to simulations. Discussions and conclusions follow.

## 65 2 Description of the models

### 2.1 Example for a 2 DOF wind turbine model

We start this section with an illustrative example before describing the different parts of the model in their general form. A wind turbine is modeled here using 2 DOF: (1) the generalized coordinate associated with the fore-aft bending of the tower,  $q_t$ , and (2) the shaft rotation,  $\psi$ . The tower bending is associated with a shape function,  $\Phi_t(z)$ , such that the fore-aft displacement  
70 of a point at height  $z$  and at time  $t$  is given by  $u(z, t) = q_t(t)\Phi_t(z)$ . The shape function is normalized to unity at the tower top, and  $q_t$  is then equal to fore-aft displacement at the tower top (see Figure 2). The equations of motion of the system are:

$$\begin{bmatrix} M & 0 \\ 0 & J \end{bmatrix} \begin{bmatrix} \ddot{q}_t \\ \ddot{\psi} \end{bmatrix} + \begin{bmatrix} C & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} \dot{q}_t \\ \dot{\psi} \end{bmatrix} + \begin{bmatrix} K & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} q_t \\ \psi \end{bmatrix} = \begin{bmatrix} T_a^* \\ Q_a - Q_g \end{bmatrix} \quad (1)$$

where  $M$ ,  $C$ , and  $K$  are the generalized mass, damping, and stiffness, respectively, associated with the fore-aft DOF;  $J$  is the drivetrain inertia;  $T_a^*$  and  $Q_a$  are the aerodynamic thrust and torque, respectively; and  $Q_g$  is the generator torque. A superscript asterisk is used on the thrust to indicate that using the thrust directly is a rough approximation. A more elaborate expression of the generalized force acting on  $q_t$  is given in Section 3.3. The determination of  $M$ ,  $C$ , and  $K$  is discussed in Branlard (2019a). For the National Renewable Energy Laboratory (NREL) 5 MW turbine, the values are:  $M = 4.4e^5$  kg,  $D = 2.5e^4$  kg s<sup>-1</sup>,  $K = 2.7e^6$  kg s<sup>-2</sup>, and  $J = 4.3e^7$  kg m<sup>2</sup>. We tuned the damping term  $C$  to account for aerodynamic damping, as mentioned in Section 3.3. Aerodynamic stiffness is included in  $T_a^*$ . In this example, the system of equations is coupled only via the aerodynamic loads.

The following measurements are usually readily available on any commercial wind turbine: the generator power,  $P_g$ ; the blade pitch angle,  $\theta_p$ ; the rotor rotational speed,  $\Omega \triangleq \dot{\psi}$ ; and the tower-top acceleration in the fore-aft direction,  $\ddot{q}_t$ . The knowledge of the generator power, speed, and losses allows for the estimation of the generator torque,  $Q_g$ . In this study, the generator torque is assumed to be known. We will use an augmented Kalman filter concept to combine these measurements with the mechanical model to estimate the state of the system. The Kalman filter algorithm requires linear state and output equations. The state vector is assumed to be  $\mathbf{x} = [q_t, \psi, \dot{q}_t, \dot{\psi}, Q_a]$ . The fact that some of the loads were included into the state vector is referred to as “state augmentation.” The choice of loads to include in the state vector is not unique and will lead to different state equations. Using this choice for  $\mathbf{x}$ , we write Equation 1 into the following state equation:

$$\begin{bmatrix} \dot{q}_t \\ \dot{\psi} \\ \ddot{q}_t \\ \ddot{\psi} \\ \dot{Q}_a \end{bmatrix} = \begin{bmatrix} 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ -M^{-1}K & 0 & -M^{-1}C & 0 & 0 \\ 0 & 0 & 0 & 0 & J^{-1} \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} q_t \\ \psi \\ \dot{q}_t \\ \dot{\psi} \\ Q_a \end{bmatrix} + \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ M^{-1} & 0 & 0 \\ 0 & -J^{-1} & 0 \\ 0 & 0 & 0 \end{bmatrix} \begin{bmatrix} T_a^*(\dot{\psi}, Q_a, \theta_p) \\ Q_g \\ \theta_p \end{bmatrix} \quad (2)$$

where, for simplicity, the time derivatives of the aerodynamic torque is assumed to be zero, an assumption referred to as “random walk force model.” This assumption accounts for saying that the estimate of the torque at the next time step is likely to be close to the one at the current time step. Improvements on this will be discussed in Section 5. The thrust is determined based on the rotor speed, aerodynamic torque, and pitch angle using tabulated data, as described in Section 2.4. The output equation relates the measurements to the states and inputs as follows:

$$\begin{bmatrix} \ddot{q}_t \\ \dot{\psi} \\ Q_g \\ \theta_p \end{bmatrix} = \begin{bmatrix} -M^{-1}K & 0 & -M^{-1}C & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{bmatrix} \mathbf{x} + \begin{bmatrix} M^{-1} & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} T_a^* \\ Q_g \\ \theta_p \end{bmatrix} \quad (3)$$

Equation 2 and Equation 3 are used within a Kalman filter algorithm to estimate the state’s vector based on the measurements. The estimated time series of  $q_t$ , together with its associated shape function  $\Phi_t$ , are used to determine the bending moments within the tower and estimate tower fatigue loads, based on the method presented in Section 2.5. Results from this simple model will be provided in Section 3. The rest of this section generalizes the approach presented.



115 is given in Branlard (2019a). In the general case, the equations of motion are described as:

$$M\ddot{\mathbf{q}} + C\dot{\mathbf{q}} + K\mathbf{q} = \mathbf{f} \quad \rightarrow \quad \begin{bmatrix} \dot{\mathbf{q}} \\ \ddot{\mathbf{q}} \end{bmatrix} = \begin{bmatrix} \mathbf{0} & \mathbf{I} \\ -M^{-1}K & -M^{-1}C \end{bmatrix} \begin{bmatrix} \mathbf{q} \\ \dot{\mathbf{q}} \end{bmatrix} + \begin{bmatrix} \mathbf{0} \\ M^{-1}\mathbf{f} \end{bmatrix} \quad (4)$$

where  $M$ ,  $C$ , and  $K$  are the mass, damping, and stiffness matrices, respectively;  $\mathbf{q}$  is the vector of DOF; and  $\mathbf{f}$  is the vector of generalized loads acting on the DOF. An inconvenience of the method is that the mass matrix is a nonlinear function of the DOF. The main assumption of this work is that the nonlinearities can be discarded as a first approximation. This assumption is  
 120 further discussed in Section 5.

### 2.3 Augmented Kalman filter applied to a mechanical system

Descriptions of the standard Kalman filter can be found in Grewal and Andrews (2014) or Zarchan and Musoff (2015). The algorithm will not be detailed in this article. The method expects state and output equations of the following form:

$$\dot{\mathbf{x}} = \mathbf{X}_x \mathbf{x} + \mathbf{X}_u \mathbf{u} + \mathbf{w}_x \quad (\text{state equation}) \quad (5)$$

$$125 \quad \mathbf{y} = \mathbf{Y}_x \mathbf{x} + \mathbf{Y}_u \mathbf{u} + \mathbf{w}_y \quad (\text{output/measurement equation}) \quad (6)$$

where  $\mathbf{x}$ ,  $\mathbf{u}$ , and  $\mathbf{y}$  are the state, input, and measurement vectors, respectively;  $\mathbf{X}_x$ ,  $\mathbf{X}_u$ ,  $\mathbf{Y}_x$ , and  $\mathbf{Y}_u$  are Jacobian matrices describing the expected relationships between measurements, states, and inputs; and  $\mathbf{w}_x$  and  $\mathbf{w}_y$  are Gaussian uncorrelated noises associated with the state-space model and measurements, respectively, of which the associated covariance matrices are noted  $\mathbf{Q} = E[\mathbf{w}_x \mathbf{w}_x^t]$  and  $\mathbf{R} = E[\mathbf{w}_y \mathbf{w}_y^t]$ , with  $E[\mathbf{w}_x \mathbf{w}_y^t] = 0$ ,  $E$  the expected value operator, and the subscript  $t$  represents  
 130 a transpose. We will develop these equations in the case of a mechanical system that follows the general form of Equation 4. Specific applications will be given in Section 3 and Section 4.

Different approaches can be used to write Equation 4 in the form of Equation 5, depending how the force vector is to be treated. In a first approach, the forces can be considered to be inputs  $\mathbf{f} = \mathbf{u}$ , in which case Equation 4 is directly in the form of Equation 5, with  $\mathbf{x} = [\mathbf{q}, \dot{\mathbf{q}}]$ . This implies that we have full knowledge of the forces acting on the system at every time step,  
 135 which is unlikely. In a second approach, the forces can be assumed to be part of the system noise,  $\mathbf{w}_x$ , which would lead to  $\mathbf{x} = [\mathbf{q}, \dot{\mathbf{q}}]$  and  $\mathbf{B} = 0$ . This is obviously a crude approximation because the forces acting on the system are nonstochastic, and we likely have some knowledge of them. In the intermediate approach introduced by Lourens et al. (2012), some of the forces are included in the system noise, and others as part of the states. We write the reduced set of loads that are part of the state  $\mathbf{p}$ , of length  $n_p$ , and the full force vector is assumed to be approximated by:  $\mathbf{f} \approx \mathbf{S}_p \mathbf{p}$ , where  $\mathbf{S}_p$  is a matrix of dimension  
 140  $n_q \times n_p$ . The reduced set of forces,  $\mathbf{p}$ , is integrated into the state vector as:  $\mathbf{x} = [\mathbf{q}, \dot{\mathbf{q}}, \mathbf{p}]$ . This process is referred to as ‘‘state augmentation.’’

We introduce a generalized approach and assume that the forces are a combination of states, inputs, and unknown noise:

$$\mathbf{f} \approx \mathbf{F}_q \mathbf{q} + \mathbf{F}_{\dot{q}} \dot{\mathbf{q}} + \mathbf{F}_p \mathbf{p} + \mathbf{F}_u \mathbf{u} + \mathbf{w}_f \approx +\mathbf{F}_q \mathbf{q} + \mathbf{F}_{\dot{q}} \dot{\mathbf{q}} + \mathbf{F}_p \mathbf{p} + \mathbf{F}_u \mathbf{u} \quad (7)$$

where the  $\mathbf{F}_\bullet$  matrix represent the Jacobian of the force vector with respect to vector  $\bullet$ , and  $\mathbf{w}_f$  are unknown forces that are  
 145 assumed to be part of system disturbance,  $\mathbf{w}_x$ . The terms  $\mathbf{F}_q$  and  $\mathbf{F}_{\dot{q}}$  are linearized stiffness and damping terms. These terms

are zero if their contributions are already included in the definitions of  $\mathbf{K}$  and  $\mathbf{C}$ . In practice, the linearization of the force vector may not be possible, and assumed relationships or engineering models are used. As an example, if  $\mathbf{p}$  contains the thrust force and  $\mathbf{f}$  the moment at the tower base, the appropriate element of  $\mathbf{F}_p$  could be set with the lever arm between the tower top and tower base.

150 This approach allows us to use the knowledge we have of some of the main loads acting on the system and express their dynamics into the state-space equation. The forces may, for instance, be assumed to follow a first-order system as follows:

$$\dot{\mathbf{p}} = \mathbf{P}_q \mathbf{q} + \mathbf{P}_{\dot{q}} \dot{\mathbf{q}} + \mathbf{P}_p \mathbf{p} + \mathbf{P}_u \mathbf{u} \quad (8)$$

where the  $\mathbf{P}_\bullet$  matrices are obtained from a knowledge of the force evolution. A second-order system could also be introduced, in which case the state needs to be augmented with both  $\mathbf{p}$  and  $\dot{\mathbf{p}}$  (“random walk” force model). For simplicity, the applications  
155 used in this work will assume  $\dot{\mathbf{p}} = \mathbf{0}$ , but future work will investigate the benefit of using first-order systems for the evolution of the forces.

Inserting Equation 7 into Equation 4, introducing  $\mathbf{x} = [\mathbf{q}, \dot{\mathbf{q}}, \mathbf{p}]$ , and using Equation 8, we obtain a state equation of the form of Equation 5 is obtained:

$$\mathbf{X}_x = \begin{bmatrix} \mathbf{0} & \mathbf{I} & \mathbf{0} \\ -\mathbf{M}^{-1}(\mathbf{K} - \mathbf{F}_q) & -\mathbf{M}^{-1}(\mathbf{C} - \mathbf{F}_{\dot{q}}) & \mathbf{M}^{-1}\mathbf{F}_p \\ \mathbf{P}_{\dot{q}} & \mathbf{P}_q & \mathbf{P}_p \end{bmatrix}, \quad \mathbf{X}_u = \begin{bmatrix} \mathbf{0} \\ \mathbf{M}^{-1}\mathbf{F}_u \\ \mathbf{P}_u \end{bmatrix} \quad (9)$$

160 The measurements are assumed to be a combination of the acceleration, velocity, displacements, loads, and inputs:

$$\mathbf{y} \approx \tilde{\mathbf{Y}}_{\ddot{q}} \ddot{\mathbf{q}} + \tilde{\mathbf{Y}}_{\dot{q}} \dot{\mathbf{q}} + \tilde{\mathbf{Y}}_q \mathbf{q} + \tilde{\mathbf{Y}}_p \mathbf{p} + \tilde{\mathbf{Y}}_u \mathbf{u} \quad (10)$$

The matrix  $\tilde{\mathbf{Y}}_{\ddot{q}}$  is here introduced for convenience when a simple relationship exists between outputs and DOF accelerations, but this term can be omitted altogether and should not be double-counted. Indeed, the acceleration,  $\ddot{\mathbf{q}}$ , can be isolated from Equation 4, and then expressed as a function of  $\dot{\mathbf{q}}$ ,  $\mathbf{p}$ , and  $\mathbf{u}$ . If an automated linearization procedure is used, then the accelera-  
165 tion term should be skipped because it would otherwise be redundant. The output relationship would then be:

$$\mathbf{y} \approx \mathbf{Y}_{\dot{q}} \dot{\mathbf{q}} + \mathbf{Y}_q \mathbf{q} + \mathbf{Y}_p \mathbf{p} + \mathbf{Y}_u \mathbf{u} \quad (11)$$

The link between the two formulations is provided using Equation 4, giving:

$$\mathbf{Y}_q = \tilde{\mathbf{Y}}_q - \tilde{\mathbf{Y}}_{\ddot{q}} \mathbf{M}^{-1} \mathbf{K}, \quad \mathbf{Y}_{\dot{q}} = \tilde{\mathbf{Y}}_{\dot{q}} - \tilde{\mathbf{Y}}_{\ddot{q}} \mathbf{M}^{-1} \mathbf{C}, \quad \mathbf{Y}_p = \tilde{\mathbf{Y}}_p + \tilde{\mathbf{Y}}_{\ddot{q}} \mathbf{M}^{-1} \mathbf{F}_p, \quad \mathbf{Y}_u = \tilde{\mathbf{Y}}_u + \tilde{\mathbf{Y}}_{\ddot{q}} \mathbf{M}^{-1} \mathbf{F}_u \quad (12)$$

An output equation of the form of Equation 6 is directly obtained as:

$$170 \mathbf{Y}_x = \begin{bmatrix} \mathbf{Y}_q & \mathbf{Y}_{\dot{q}} & \mathbf{Y}_p \end{bmatrix}, \quad \mathbf{Y}_u = \mathbf{Y}_u \quad (13)$$

Equation 9 and Equation 13 form the bridge between the definition of the mechanical model and the state and output equations needed by the Kalman filter algorithm.

Equation 5 and Equation 6 are in continuous form, whereas the Kalman filter algorithm uses discrete forms. The discrete forms of the matrices perform the time integration of the states from one time step to the next, namely:  $\mathbf{x}_{k+1} = \mathbf{X}_{x,d}\mathbf{x}_k +$   
175  $\mathbf{X}_{u,d}\mathbf{u}_k$ , where the subscript  $d$  indicates the discrete form of the matrices and  $k$  is the time-step index. The matrix  $\mathbf{X}_{x,d}$  is referred to as the “fundamental matrix.” For time-invariant systems, this matrix may be obtained using Laplace transform or by Taylor-series expansion (Zarchan and Musoff, 2015). For a given time step,  $\Delta t$ , the discrete matrices corresponding to  $\mathbf{X}_x$  and  $\mathbf{X}_u$  are:

$$\mathbf{X}_{x,d} = e^{\mathbf{X}_x \Delta t} = I + \mathbf{X}_x \Delta t + \frac{(\mathbf{X}_x \Delta t)^2}{2!} + \dots \approx I + \mathbf{X}_x \Delta t \quad (14)$$

$$180 \quad \mathbf{X}_{u,d} = \int_0^{\Delta t} \mathbf{X}_{x,d}(\tau) \mathbf{X}_u d\tau \approx [\mathbf{X}_{x,d} - I] \mathbf{X}_x^{-1} \mathbf{X}_u \approx \mathbf{X}_u \Delta t$$

The approximation in Equation 14 is effectively a first-order forward Euler time integration. The matrices  $\mathbf{Y}_x$  and  $\mathbf{Y}_u$  remain unchanged by the discretization because the output equation is an algebraic equation involving quantities at the same time step.

Many choices are possible as to how the model may be formulated, including which forces should be accounted for in the reduced set,  $\mathbf{p}$ , which forces should be assumed to be obtained from the inputs, which models to use for the  $\mathbf{P}$  matrices, and  
185 so on. This study is limited to land-based wind turbines, and therefore the main loads are the aerodynamic thrust and torque. A subtlety to account for is that some of the forces of the model presented in Equation 4 are generalized forces, and are projections of loads onto the shape functions (Branlard, 2019a). An example will be given in Section 3.3.

When possible, the Jacobian matrices introduced should be determined by linearization about an operating point. The mass matrix should also be linearized about such a point. In the current work, the nonlinearities are either neglected or directly inserted into the expression presented without performing a linearization. This crude simplification will be discussed in Section 5,  
190 in light of the results presented in Section 3 and Section 4.

## 2.4 Wind speed and thrust estimation

In this section,  $Q_a$ ,  $\theta_p$ , and  $\Omega$  are assumed to be given. The aerodynamic power and thrust coefficients,  $C_P$  and  $C_T$ , are also assumed to be known as a function of the pitch angle and tip-speed ratio,  $\lambda = \Omega R / U_0$ , where  $R$  is the rotor radius and  $U_0$  is  
195 the wind speed. The functions  $C_P(\lambda, \theta_p)$  and  $C_T(\lambda, \theta_p)$  are estimated by running a parametric set of simulations at constant operating conditions. There is some uncertainty here as to whether the real turbine performs as predicted by these functions. This question will be considered in Section 5. The aerodynamic torque is computed from the tabulated data as:

$$Q_{a,\text{tab}}(U_0, \Omega, \theta_p) = \frac{1}{2} \rho \pi R^2 \frac{U_0^3}{\Omega} C_P \left( \frac{\Omega R}{U_0}, \theta_p \right) \quad (15)$$

where  $\rho$  is the air density, which is another potential source of uncertainty to be considered when dealing with measurements.  
200 The wind speed is obtained by solving the following nonlinear constraint equation for  $u_{\text{est}}$ :

$$\text{Find } u_{\text{est}}, \text{ such that } Q_a - Q_{a,\text{tab}}(u_{\text{est}}, \Omega, \theta_p) = 0 \quad (16)$$



The wind speed determined by this method is assumed to be the effective wind speed acting over the rotor area. A correction for nacelle displacements is discussed in Section 5. The aerodynamic thrust is estimated from this wind speed as:

$$T_{a,\text{est}} = T_{a,\text{tab}}(u_{\text{est}}, \Omega, \theta_p), \quad \text{with} \quad T_{a,\text{tab}}(U_0, \Omega, \theta_p) = \frac{1}{2} \rho \pi R^2 U_0^2 C_T \left( \frac{\Omega R}{U_0}, \theta_p \right) \quad (17)$$

## 205 2.5 Tower loads and fatigue estimation

The deflection of the tower,  $U$ , in the  $x$  or  $y$  directions at a given height,  $z$ , and a given time,  $t$ , is given by the sum of the tower shape functions scaled by the tower degrees of freedom:

$$U_x(z, t) = \sum_i q_{xt,i}(t) \Phi_{t,i}(z), \quad U_y(z, t) = \sum_i q_{yt,i}(t) \Phi_{t,i}(z) \quad (18)$$

The curvature,  $\kappa$ , is obtained by differentiating the deflection twice, giving:

$$210 \quad \kappa_x(z, t) = \sum_i q_{xt,i}(t) \frac{d^2 \Phi_{t,i}}{dz^2}(z), \quad \kappa_y(z, t) = \sum_i q_{yt,i}(t) \frac{d^2 \Phi_{t,i}}{dz^2}(z) \quad (19)$$

The bending moments along the tower height are then obtained from the curvatures using Euler beam theory:

$$M_y(z, t) = EI(z) \kappa_x(z, t), \quad M_x(z, t) = EI(z) \kappa_y(z, t) \quad (20)$$


where  $EI$  is the bending stiffness of a given tower cross section. The time series of bending moment are processed using a rainflow counting algorithm to estimate the equivalent loads and damage (International Standard IEC, Workgroup 3, 2005).

## 215 3 Simple applications and validations

### 3.1 Wind speed estimation

In this section, we illustrate and evaluate the wind speed estimation methodology presented in Section 2.4. We computed tabulated  $C_P$  and  $C_T$  for the NREL 5 MW turbine (Jonkman et al., 2009) using the multi-physics simulation tool OpenFAST (OpenFAST, 2020). We devised a turbulent simulation to sweep through the main operating regions of the wind turbine  
 220 within a 10 min period, namely: the startup region (Region 0), the optimal  $C_p$  tracking region (Region 1), rotor-speed regulation (Region 2), and power regulation (Region 3). Region 2 has a small span for the NREL 5 MW turbine, so it is gathered with Region 3. We simulated the turbine with all the DOFs turned on and extracted the following variables from the simulation at 50 Hz:  $\bar{u}_{\text{ref}}$ , the average wind speed at the rotor plane;  $Q_{a,\text{ref}}$ , the aerodynamic torque;  $T_{a,\text{ref}}$ , the aerodynamic thrust;  $\Omega_{\text{ref}}$ , the rotational speed; and  $\theta_{p,\text{ref}}$ , the pitch angle. The wind speed,  $u_{\text{est}}$ , was estimated using the method presented in Section 2.4.  
 225 The results are presented in Figure 3 and detailed as follows.

The absolute error in wind speed is observed to be mostly within  $\pm 0.5 \text{ m s}^{-1}$ . The error is greatest in Region 0, where the generator torque is not yet applied. A separate wind-speed method should be devised for this case. The mean relative error for the entire time series is  $\epsilon = 2.5\%$ . The estimated wind speed is observed to follow the challenging trends of this time series,



**Figure 3.** Estimated wind speed compared to rotor-averaged wind speed for a reference simulation.


matching both the low and high frequencies. In the top zoom, no phase lag is observed in the estimated wind speed, but the estimated value is overshooting. Overall, the results from the test case are encouraging. It is not expected that the estimated wind speed corresponds exactly to the rotor-averaged wind speed. Instead, it is a proxy to assess the instantaneous aerodynamic rotor state. Wind-speed estimation is a standard feature of most wind turbine controllers, and it is likely that more advanced features are implemented by manufacturers. Any improvement on the methodology would be beneficial for the procedure of loads estimation presented in this work.

### 3.2 Thrust estimation

We compute the estimated thrust,  $T_{a,est}$ , using Equation 17 and the wind speed estimated in Section 3.1. In Figure 4, we compare the estimated thrust value to the unsteady aerodynamic thrust from the simulation,  $T_{a,ref}$ . The values of  $T_{a,tab}(\bar{u}_{ref}, \Omega_{ref}, \theta_{p,ref})$  are also shown in the figure. We observe that the thrust signal is obtained with a mean relative error of 1.5% over the range of operating conditions considered. The use of the estimated wind speed produces thrust values closer to the reference thrust than if  $\bar{u}_{ref}$  is used. In line with the discussions of Section 3.1, this supports the fact that the estimated wind speed provides an effective velocity that is consistent with the instantaneous state of the rotor, but different from the rotor-averaged wind speed. However, it is also possible that compensating errors are at play, or that the thrust is less sensitive to changes in wind speed or drivetrain dynamics than the torque. Despite these open questions, we continue by assuming that the method provides thrust estimates with sufficient accuracy.

### 3.3 Reduced model of the mechanical system

In this section, we compare the 2 DOF mechanical model presented in Section 2.1 to the advanced OpenFAST model consisting of 16 DOF. As mentioned in Section 2.1, we first improve the generalized force formulation acting on  $q_t$ . We adopt the notations from Figure 2. The resulting force and moment at the tower top are written as  $\mathcal{F}_N$  and  $\mathcal{M}_N$ . The contribution of this load to the



**Figure 4.** Comparison of aerodynamic thrusts:  $T_{a,ref}$ , obtained from a reference simulation;  $T_{a,tab}(\bar{u}_{ref})$ , obtained from tabulated  $C_T$  and the rotor-averaged wind speed from the simulation;  $T_{a,est} = T_{a,tab}(u_{est})$ , obtained from the estimated wind speed. (Left:) Time series of thrust and absolute errors compared to the  $T_{a,ref}$ . (Right:) Scatterplot of the tabulated thrust compared to the reference thrust.

generalized force is  $\mathbf{f}_N = \mathbf{B}_N \cdot [\mathbf{F}_N; \mathcal{M}_N]$  where, according to the virtual work principle,  $\mathbf{B}_N$  is the velocity transformation matrix that provides the velocity of point  $N$  as a function of other DOF. Further details on this formalism are provided in Branlard (2019a). For the single-tower DOF considered, the  $B$ -matrix consists of the end values of the shape function deflection and slope (i.e.,  $\mathbf{B}_N = [\Phi_{t,1}(L_t), 0, 0, 0, \nu_1, 0]$ , where  $L_t$  is the length of the tower and  $\nu_1 \triangleq \frac{d\Phi_{t,1}}{dz}(L_t)$ ). The shape functions are normalized at their extremity (i.e.,  $\Phi_{t,i}(L_t) = 1$ ), so that the generalized force is:

$$\mathbf{f}_N = \mathcal{F}_{x,N} + \nu_1 \mathcal{M}_{y,N} \quad (21)$$

We assumed that the main forces acting at the tower top are the aerodynamic thrust and the gravitational force from the rotor nacelle assembly (RNA) mass,  $M_{RNA}$ . We then obtain the loads as:

$$\mathcal{F}_{x,N} = T_a \cos(\alpha_y + \theta_{\text{tilt}}), \quad \mathcal{M}_{y,E} = T_a [x_{NR} \sin \theta_{\text{tilt}} + z_{NR} \cos \theta_{\text{tilt}}] + g M_{RNA} [x_{NG} \cos \alpha_y + z_{NG} \sin \alpha_y] \quad (22)$$


where, using Figure 2:  $\theta_{\text{tilt}}$  is the tilt angle of the nacelle;  $NR$  is the vector from the tower top to the rotor center, where the thrust is assumed to act;  $NG$  is the vector from the tower top to the RNA center of mass;  $g$  is the acceleration of gravity; and  $\alpha_y$  is the  $y$ -rotation of the tower top induced by the tower bending. For a single-tower mode,  $\alpha_y(t) = q_t(t)\nu_1$ . The linearization of Equation 21 and Equation 22 for small values of  $q_t$  leads to:

$$\mathbf{f}_N = q_t \left\{ -T_a \nu_1 \sin \theta_{\text{tilt}} + \nu_1^2 g M_{RNA} z_{NG} \right\} + (T_a \cos \theta_{\text{tilt}}) + T_a \nu_1 [x_{NR} \sin \theta_{\text{tilt}} + z_{NR} \cos \theta_{\text{tilt}}] + \nu_1 g M_{RNA} z_{NG} \quad (23)$$

where the term in parentheses is the main contribution, which justifies the use of  $T_a$  in Equation 1; the term in curly brackets acts as a stiffness term. The presence of  $T_a$  in this term introduces an undesired coupling, and this term is kept on the right-hand side of Equation 1. It is noted that the vertical force,  $\mathcal{F}_{z,N}$ , contributes to the softening of the tower. The main softening effect

attributed to the RNA mass is included in the stiffness matrix, as described in Branlard (2019a). The contribution of the thrust to the softening, as well as additional contribution of quadratic velocity forces to the generalized force, are neglected.

We obtain the other elements of the 2D model from the OpenFAST input files. We use the YAMS library (Branlard, 2019a)—which can take as input an OpenFAST model, and thus use the same shape functions—to obtain the mass, stiffness, and damping matrix of Equation 1. We use velocity transformation matrices to convert individual component matrices (e.g., blades, nacelle) into the global system matrices. The mass matrix thereby comprises the inertia terms from the tower and RNA. We tuned the damping of the 2 DOF model using simple “decay” simulations to include the aerodynamic damping contribution. The simulation used for validation consists of a linear ramp of wind speed from 0 to  $10 \text{ m s}^{-1}$  in the first 100 s, and a sudden drop to  $6 \text{ m s}^{-1}$  at 200 s. The aerodynamic loads and the generator torque are extracted from the OpenFAST simulation and applied as external forces to the reduced-order model. Time series of tower-top positions, rotational speed, and tower-bottom moments are compared in Figure 5. We observe that the rotational speed is well captured, indicating that the rotational inertia



**Figure 5.** Simulation results using OpenFAST (16 DOF) and the reduced 2 DOF model. (Left): Rotational speed and tower-top (TT) displacements. (Right): Tower moments at three different heights: tower bottom (TB), tower middle (TM), and tower top (TT). The tower-bottom moment is taken at 5% height above the ground and not exactly at the ground.

is properly set, but also indicating that the drivetrain torsion does not have a strong impact for this simulation. The overall trend of the tower-top displacements is also well captured, though more differences are present as a result of missing contributions from additional blade and tower DOF, missing nonlinearities, and quadratic velocity forces.


We use the method from Section 2.5 to estimate the bending moments along the tower from the tower-top displacement. The results shown on the right of Figure 5 indicate that the overall trends and load levels are well estimated, but some offsets are observed, which are a function of height. A contribution to the moment may be missing in the current model. This will be taken into consideration when analyzing the results from the Kalman filter analysis.

## 4 Application to wind turbine tower loads estimation

285 Some of the individual models presented in Section 2 were briefly validated in Section 3. In this section, we use the augmented Kalman filter described in Section 2.3, combining the different models together with the measurements. We implement the state and output equations given in Equation 2 and Equation 3. We discretize the state equation according to Equation 14. Results from the Kalman filter simulation, which combines a set of measurements with a model, will be referred to as “KF estimation.” The values used for the covariance matrices,  $\mathbf{Q}$  and  $\mathbf{R}$ , are discussed in Section 5.

### 290 4.1 Ideal cases without noise

The same simulation as the one presented in Section 3.1 is used, which extends from Region 0 to Region 3. The measurements sampled at 20 Hz are taken directly from the OpenFAST simulation and not from a field experiment. This is obviously an ideal situation because no noise or bias are present in the measurements. Further, the OpenFAST and Kalman filter models are based on the same parameters, such as the mass and stiffness distribution. In Figure 6, we compare the states and tower loads estimated using the Kalman filter model with the simulation results. The signals are observed to be well estimated by the




**Figure 6.** Comparison of signals simulated by OpenFAST (reference) compared with the ones estimated with the Kalman filter model. From top to bottom, dimensionless time series of: aerodynamic torque, aerodynamic thrust, tower-top displacement, and fore-aft tower-bottom moment.

295

Kalman filter model over the entire range of operating regions. The error observed for the tower-bottom moment is in the range of errors observed for the isolated mechanical system (Section 3.3).

We ran a turbulent simulation at an average wind speed of  $14 \text{ m s}^{-1}$  with a turbulence intensity of 0.14 to illustrate the differences in the power spectral density of the signals. The results are displayed in Figure 7 and commented on further.

Frequencies that are not in the mechanical system (e.g., the second fore-aft [FA] mode and the drivetrain torsion [DT]) are still



**Figure 7.** Power spectral density (PSD) of signals simulated by OpenFAST and estimated with the Kalman filter model for a turbulent simulation at  $14 \text{ m s}^{-1}$ . From left to right: rotational speed, thrust, tower-top displacement, and tower-bottom fore-aft moment. Ticks on the y-axis represent two decades. The main system frequencies are marked with vertical lines: FA modes, DT, and multiples of the rotational frequency  $p = 0.2$ .

300


“captured” by the estimator via the measurements. The rotational speed is directly observable by the Kalman filter, so the signal is obviously well estimated. The thrust is estimated based on the rotational speed, and thus exhibits similar frequencies as the rotational speed, which is not the case for the reference thrust signal. The integration of the acceleration into the tower-top position ( $q_t$ ) shows a higher frequency content than the reference signal. The second FA frequency has a strong energy content in the estimated,  $q_t$ , signal. This frequency content comes from the acceleration signal, but it is not sufficiently captured and damped by the model, which does not represent the second mode. A moving average filter of period 1 s was introduced to reduce the high-frequency content of the acceleration. The results are labeled “Estimation w/filt.” on the figure. The analysis of the moment spectrum given on the right of Figure 7 indicates that the frequencies are well captured but the overall content at frequencies beyond the first FA mode is too high. This is indicated by the values of the equivalent loads, which are respectively 20 MNm and 30 MNm for the reference and estimated signal, using a Wöhler slope of  $m = 5$ . The low-pass filter on the acceleration signal greatly improves the spectrum of  $M_y$ . The error in equivalent loads is further quantified in Section 4.2.

310

320

## 4.2 Simulations with noise

The simulations presented in Section 4.1 used the simulated values from OpenFAST as measurements. In this section, a Gaussian noise is added to each of the OpenFAST signals to account for measurement uncertainties. The noise level is taken as 10% of the standard deviation of the signal simulated by OpenFAST. A noise level of 20% will be referred to as “large noise.” We performed OpenFAST simulations for 10 wind speeds, with 6 different turbulent seeds for each wind speed. We applied a noise level to these simulation results prior to feeding them to the Kalman filter estimator. Cases with or without applying the low-pass filter on the (noisy) acceleration input were tried. Figure 8 displays results for the error in equivalent load and standard deviation of the tower-bottom moment. The equivalent loads are estimated using a Wöhler slope of  $m = 5$ . As expected, the errors in standard deviation and equivalent loads follow similar trends. Errors without filtering are severalfold larger than when the acceleration is filtered. Without noise, the equivalent loads are estimated with  $\pm 8\%$  error. The error increases with the



**Figure 8.** Comparison of the equivalent load and standard deviation of the tower-bottom moment as obtained by OpenFAST or as estimated from the Kalman filter estimator, for different noise levels and with or without a filter on the acceleration input. (Left): Error in standard deviation. (Right): Error in equivalent load. A positive value indicates that the estimator is overestimating. Individual markers indicate a simulation at a given wind speed and turbulence seed number. Lines indicate the mean values.

noise level and the equivalent loads appear to be mostly overestimated. Further tuning of the filter and the covariance matrices involved in the Kalman filter may reduce the error. Further discussions are provided in Section 5.

### 4.3 Computational time

325 We wrote this framework in the noncompiled Python language and ran the code on a single CPU. The average computational time for a 10 min period of measurements at 20 Hz was 37 s. Doubling the frequencies and the number of DOF would still keep the computational time severalfold smaller than real time. The expensive part of the algorithm is the nonlinear solve needed to find the optimal wind speed (Equation 16).

## 5 Discussion and future work

330 **General limitations** The main limitation of the method lays in its dependency on the measurements and the numerical wind turbine model. Despite the Kalman filter being an optimal estimator that continuously adapts to its inputs, significant errors in the measurements or model would lead to unusable results. Complex online systems would be required to alleviate this issue, for instance, by continuously: assessing the measurement quality, updating the wind turbine model parameters, and adapting the estimator model. More specific limitations are discussed in the subsequent paragraphs.

335 **Digital twin concept** A complete digital replica of a continuous system would require an infinite number of variables to represent it, which cannot be achieved. The level of details and complexity of a digital twin is thereby chosen based on its

potential application. This article was limited to the estimation of: the wind speed, the integrated aerodynamic loads, and few structural degrees of freedom. This partial set provides relevant inputs for structural dynamics applications, such as the estimation of the tower fatigue. Other applications would add more modules to the digital twin.

340 **Digital twin implementation** The model presented in this article was implemented such that it could be used as an online digital twin. Nevertheless, it was not connected to a real wind turbine. Such implementation would require a server running continuously and having access to the data stream from a real turbine. Additional implementation steps would be necessary to handle possible communication disruptions, server maintenance, and data storage.

**Measurements** The results presented in the current study remained within the simulation realm. The accuracy of the method  
345 under uncertain conditions was partly quantified using various noise levels. Future work will evaluate the model using field measurement data.

**Model choices** A Kalman filter technique was chosen for this study, but other load estimation techniques may be used, such as lookup tables, modal expansion, machine learning, neural networks, polynomial chaos expansion, deconvolution, or load extrapolation. For the Kalman filter model, a certain level of choice is present as to whether the loads are placed as an input  
350 or within the state vector, as mentioned in Section 2.3. A consequence is that different load models may also be implemented, such as models of higher order than the one used in Equation 8. In the current study, a “random walk” force model was used for the torque, and the thrust was set as a dependent variable of the torque. However, these loads are functions of the axial inductions, which are typically assumed to follow a second-order model referred to as “dynamic wake.” A linearization of this model could be applied to the aerodynamic thrust and torque and potentially improve the performance prediction of the  
355 Kalman filter.

**Nonlinearities and time invariance** This study assumed a linear form of the equation of motion and that the system matrices were time-invariant. Despite this crude assumption, reasonable results were obtained. Further improvements are likely to be obtained if these assumptions are lifted. A simple approach would consist of updating the system matrices at some given interval based on a slow moving average on the wind speed or the tower-top position. An advanced method would use filtering methods  
360 that are adapted to nonlinear systems, such as extended Kalman filters or particle filters. This approach would, however, greatly increase the computational time. A shortcoming of the current approach is that the linear form of the equation was established “by hand.” A systematic approach will be considered in the future using the linearized form of the state matrices returned by OpenFAST, which would include aerodynamic damping directly.

**Degrees of freedom and offshore application** The general formalism presented in Section 2 can be applied to more degrees  
365 of freedom than the 2 DOF model used by adding more shape function for the tower and including side-side motion, yaw, tilt, shaft torsion, and blade motions. Improvements on the method are expected to be achieved by increasing the number of measurements and states. The results from the 2 DOF model appeared encouraging enough to limit ourselves to this set, but future work will consider the inclusion of additional DOF. In particular, transverse acceleration measurements and states could



help capture the rotor asymmetric loading. The extension of the method to offshore application could be done by adding extra  
370 degrees of freedom for the substructure, or by using shape functions that represent the entire support structure. The generalized  
force induced by the wave loading would need to be included. This force may be modeled based on the wind speed, or assumed  
to be part of the model noise (see Section 2.3).

**Model tuning** Apart from the choices of degrees of freedom and model formulation, there remains a part of model tuning  
through the choice of covariance matrices and the potential filtering done on the measurements. As shown in Section 4.2,  
375 the filtering of the acceleration was observed to greatly improve the performance of the model. A time constant of 1 s was  
chosen empirically for the filter, but this value may need to be adapted for other applications. The choice of values used for the  
covariance matrices is usually the main source of criticism for Kalman-filter-based models. Indeed, these values have a strong  
influence on the results, and they are usually tuned empirically. For the current method to be successfully applied on various  
wind plants, an automatic tuning procedure is required. In the current study, the covariance matrices of the process were set  
380 automatically based on the value of the standard deviation of the simulated signal at rated conditions. For the measurements,  
these values were divided by two. We found that this procedure led to satisfactory results. A sensitivity study should be  
considered in future work to give further insight on the procedure, particularly if more states and measurements are used.

**Wind speed estimation and standstill/idling condition** The wind speed estimation model presented in Section 2.4 is limited  
to cases where the turbine is operating. Also, the accuracy of this model is crucial for the determination of the thrust, which  
385 in turn determines the tower-top position and the tower loads. The nacelle velocity was omitted in the current study and could  
be considered in future studies. The industry has great expertise in wind speed estimation, and improvements on the algorithm  
would benefit the model presented in this article.

**Airfoil performance** The performance of the airfoils is a large source of uncertainty that was not addressed. The thrust was  
determined using tabulated  $C_T$  data, which may be significantly affected by the airfoil performance, which in turn are affected  
390 by blade erosion or other roughness sources and additional uncertainty on the aerodynamic modeling. Further improvement  
of the model is thus required to provide an accurate determination of the thrust that would account for such unknowns. Air  
density should also be considered for a correct account of the loading if a tabulated approach is used.

## 6 Conclusions

In this article, we presented a general approach using Kalman filtering to estimate loads on a wind turbine, combining a  
395 mechanical model and a set of readily available measurements. The main source of inaccuracy of the method is related to  
the inaccuracy of the measurements and the mechanical model. We established an open-source framework in the hope that it  
will be further applied for real-time fatigue estimation of wind turbine loads, providing inspiration for a digital-twin concept.  
As an example, we presented the equations for a 2 DOF system of a wind turbine, and this system was used throughout the  
article. The study focused on the estimation of tower bending moment, and in particular the associated damage equivalent  
400 load. Based on simulation results, we observed that the estimator was able to capture the damage equivalent loads with an

accuracy on the order of 10%. Future work will address the following points: use of field measurements, offshore application of the method, increased number of DOF, automatic covariance tuning, improved wind speed estimation in standstill, improved thrust determination in off-design conditions, and use of a linearized model obtained from an aeroservoelastic tool.

405 *Author contributions.* The main concept behind this work originated from discussions between E. Branlard and C. Brown. E. Branlard performed the model derivations and wrote the article. C. Brown provided valuable feedback on the article and the methodology used. D. Giardina wrote a preliminary implementation of the model during his participation in a Science Undergraduate Laboratory Internship at NREL. E. Branlard extended the scripts to perform the analyses presented in this work.

*Competing interests.* No competing interests are present.

## References

- 410 Auger, F., Hilaiet, M., Guerrero, J. M., Monmasson, E., Orlowska-Kowalska, T., and Katsura, S.: Industrial Applications of the Kalman Filter: A Review, *IEEE Transactions on Industrial Electronics*, 60, 5458–5471, <https://doi.org/10.1109/TIE.2012.2236994>, 2013.
- Belloli, M.: Offshore floating wind turbines as sea state observers, *Journal of Physics: Conference Series*, 2019.
- Bertelè, M., Bottasso, C., and Cacciola, S.: Simultaneous estimation of wind shears and misalignments from rotor loads: formulation for IPC-controlled wind turbines, *Journal of Physics: Conference Series*, 1037, 032 007, <https://doi.org/10.1088/1742-6596/1037/3/032007>,  
415 2018.
- Bossanyi, E., Savini, B., Iribas, M., Hau, M., Fischer, B., Schlipf, D., van Engelen, T., Rossetti, M., and Carcangiu, C. E.: Advanced controller research for multi-MW wind turbines in the UPWIND project, *Wind Energy*, 15, 119–145, <https://doi.org/10.1002/we.523>, 2012.
- Bossanyi, E. A.: Individual Blade Pitch Control for Load Reduction, *Wind Energy*, 6, 119–128, <https://doi.org/10.1002/we.76>, 2003.
- Bottasso, C. and Croce, A.: Cascading Kalman Observers of Structural Flexible and Wind States for Wind Turbine Control, Tech. rep.,  
420 Dipartimento di Ingegneria Aerospaziale, Politecnico di Milano, Milano, Italy, Scientific Report DIA-SR 09-02, 2009.
- Bottasso, C., Croce, A., and Riboldi, C.: Spatial estimation of wind states from the aeroelastic response of a wind turbine, in: *The science of making torque from wind*, Heraklion, Crete, Greece, 2010.
- Boukhezzar, B. and Siguerdidjane, H.: Nonlinear Control of a Variable-Speed Wind Turbine Using a Two-Mass Model, *IEEE Transactions on Energy Conversion*, 26, 149–162, <https://doi.org/10.1109/TEC.2010.2090155>, 2011.
- 425 Bozkurt, T. G., Giebel, G., Poulsen, N. K., and Mirzaei, M.: Wind Speed Estimation and Parametrization of Wake Models for Downregulated Offshore Wind Farms within the scope of PossPOW Project, *Journal of Physics: Conference Series*, 524, <https://doi.org/10.1088/1742-6596/524/1/012156>, 2014.
- Branlard, E.: Flexible multibody dynamics using joint coordinates and the Rayleigh-Ritz approximation: The general framework behind and beyond Flex, *Wind Energy*, 22, 877–893, <https://doi.org/10.1002/we.2327>, 2019a.
- 430 Branlard, E.: YAMS GitHub repository, <http://github.com/ebanlard/YAMS/>, 2019b.
- Dimitrov, N., Kelly, M. C., Vignaroli, A., and Berg, J.: From wind to loads: wind turbine site-specific load estimation with surrogate models trained on high-fidelity load databases, *Wind Energy Science*, 3, 767–790, <https://doi.org/10.5194/wes-3-767-2018>, 2018.
- Eftekhar Azam, S., Chatzi, E., and Papadimitriou, C.: A dual Kalman filter approach for state estimation via output-only acceleration measurements, *Mechanical Systems and Signal Processing*, 60-61, 866–886, <https://doi.org/10.1016/j.ymsp.2015.02.001>, 2015.
- 435 Evans, M., Han, T., and Shuchun, Z.: Development and validation of real time load estimator on Goldwind 6 MW wind turbine, *Journal of Physics: Conference Series*, 1037, 032 021, <https://doi.org/10.1088/1742-6596/1037/3/032021>, 2018.
- Grewal, M. S. and Andrews, A. P.: *Kalman Filtering: Theory and Practice Using Matlab*, John Wiley & Sons, Ltd, <https://doi.org/10.1002/9781118984987>, 2014.
- Hafidi, G. and Chauvin, J.: Wind speed estimation for wind turbine control, in: *2012 IEEE International Conference on Control Applications*,  
440 pp. 1111–1117, <https://doi.org/10.1109/CCA.2012.6402654>, 2012.
- Hau, M.: Promising load estimation methodologies for wind turbine components, Upwind Deliverable 5.2, Tech. rep., Institut für Solare Energieversorgungstechnik (ISET), [http://www.upwind.eu/pdf/D5.2\\_PromisingLoadEstimationMethodologies.pdf](http://www.upwind.eu/pdf/D5.2_PromisingLoadEstimationMethodologies.pdf), 2008.
- Iliopoulos, A., Shirzadeh, R., Weijtjens, W., Guillaume, P., Hemelrijck, D. V., and Devriendt, C.: A modal decomposition and expansion approach for prediction of dynamic responses on a monopile offshore wind turbine using a limited number of vibration sensors, *Mechanical  
445 Systems and Signal Processing*, 68-69, 84–104, <https://doi.org/10.1016/j.ymsp.2015.07.016>, 2016.

- International Standard IEC, Workgroup 3: IEC 61400-3 Wind turbines: Design requirements for offshore wind turbines, IEC, 2005.
- Jacquelin, E., Bennani, A., and Hamelin, P.: Force reconstruction: analysis and regularization of a deconvolution problem, *Journal of Sound and Vibration*, 265, 81–107, [https://doi.org/10.1016/S0022-460X\(02\)01441-4](https://doi.org/10.1016/S0022-460X(02)01441-4), 2003.
- Jonkman, J., Butterfield, S., Musial, W., and Scott, G.: Definition of a 5MW Reference Wind Turbine for Offshore System Development, 450 Tech. Rep. NREL/TP-500-38060, National Renewable Energy Laboratory, 2009.
- Knudsen, T., Bak, T., and Soltani, M.: Prediction models for wind speed at turbine locations in a wind farm, *Wind Energy*, 14, 877–894, <https://doi.org/10.1002/we.491>, 2011.
- Lourens, E., Reynders, E., Roeck, G. D., Degrande, G., and Lombaert, G.: An augmented Kalman filter for force identification in structural dynamics, *Mechanical Systems and Signal Processing*, 27, 446–460, 2012.
- 455 Ma, C.-K. and Ho, C.-C.: An inverse method for the estimation of input forces acting on non-linear structural systems, *Journal of Sound and Vibration*, 275, 953–971, [https://doi.org/10.1016/S0022-460X\(03\)00797-1](https://doi.org/10.1016/S0022-460X(03)00797-1), 2004.
- Mendez Reyes, H., Kanev, S., Doekemeijer, B., and van Wingerden, J.-W.: Validation of a lookup-table approach to modeling turbine fatigue loads in wind farms under active wake control, *Wind Energy Science*, 4, 549–561, <https://doi.org/10.5194/wes-4-549-2019>, 2019.
- OpenFAST: Open-source wind turbine simulation tool, available at <http://github.com/OpenFAST/OpenFAST/>, 2020.
- 460 Østergaard, K. Z., Brath, P., and Stoustrup, J.: Estimation of effective wind speed, *Journal of Physics: Conference Series*, 75, 012 082, <https://doi.org/10.1088/1742-6596/75/1/012082>, 2007.
- Schröder, L., Dimitrov, N. K., Verelst, D. R., and Sørensen, J. A.: Wind turbine site-specific load estimation using artificial neural networks calibrated by means of high-fidelity load simulations, *Journal of Physics: Conference Series*, 1037, 062 027, <https://doi.org/10.1088/1742-6596/1037/6/062027>, 2018.
- 465 Selvam, K., Kanev, S., van Wingerden, J. W., van Engelen, T., and Verhaegen, M.: Feedback–feedforward individual pitch control for wind turbine load reduction, *International Journal of Robust and Nonlinear Control*, 19, 72–91, <https://doi.org/10.1002/rnc.1324>, 2009.
- Simley, E. and Pao, L.: Evaluation of a wind speed estimator for effective hub-height and shear components, *Wind Energy*, 19, 167–184, <https://doi.org/10.1002/we.1817>, 2016.
- Soltani, M. N., Knudsen, T., Svenstrup, M., Wisniewski, R., Brath, P., Ortega, R., and Johnson, K.: Estimation of Rotor Effective Wind 470 Speed: A Comparison, *IEEE Transactions on Control Systems Technology*, 21, 1155–1167, <https://doi.org/10.1109/TCST.2013.2260751>, 2013.
- Song, D., Yang, J., Dong, M., and Joo, Y. H.: Kalman filter-based wind speed estimation for wind turbine control, *International Journal of Control, Automation and Systems*, 15, 1089–1096, <https://doi.org/10.1007/s12555-016-0537-1>, 2017.
- Zarchan, P. and Musoff, H.: *Fundamentals of Kalman filtering: a practical approach*, Fourth Edition, AIAA, Progress in astronautics and 475 aeronautics, 2015.
- Ziegler, L., Smolka, U., Cosack, N., and Muskulus, M.: Brief communication: Structural monitoring for lifetime extension of offshore wind monopiles: can strain measurements at one level tell us everything?, *Wind Energy Science*, 2, 469–476, <https://doi.org/10.5194/wes-2-469-2017>, 2017.